

**Gerber® Good Start® Stage 1 Term Infant Formulas**

**Stage 1 GentlePro and Soy Concentrated Liquid Formulas**

**Dilution Instructions for Various Calorie Concentrations**

Desired concentration	Concentrate		Water		Final volume	
	fl oz	mL	fl oz	mL	fl oz	mL
20kcal/oz	8.1	240	8.1	240	16.2	480
22kcal/oz	8.1	240	6.9	204	15	443
24kcal/oz	8.1	240	5.6	166	13.9	405
27kcal/oz	8.1	240	4	118	12.1	358
30kcal/oz	8.1	240	3	89	11.1	328

One container of liquid concentrate is 8.1 fluid ounces and has 324 calories.

Gerber® Good Start® Stage 1 liquid concentrates are 40kcal/fl oz undiluted.

Higher-calorie formula concentrations should be used only under the direction of a medical professional.

Decisions regarding caloric concentration should be based on medical condition and history. The health care provider is responsible for determining nutritional requirements and monitoring patient tolerance to feedings. The extended use of >20kcal/fl oz formula is not recommended in the absence of medical necessity.

The Academy of Nutrition and Dietetics recommends the use of sterile water for mixing formula in healthcare settings.

**- For Medical Professional Use Only -**

**Gerber® Good Start® Stage 1 GentlePro Infant Formula Concentrate**

Nutrients	Per 100 kcal	Per 100 mL				
		20kcal/fl oz	22kcal/fl oz	24kcal/fl oz	27kcal/fl oz	30kcal/fl oz
Energy, kcal	100	68	74	81	91	101
Volume, mL	148	100	100	100	100	100
Protein, g	2.2	1.5	1.6	1.8	2.0	2.2
Fat, g	5.1	3.4	3.8	4.1	4.7	5.2
Linoleic Acid, mg	900	609	670	730	822	913
Linolenic Acid, mg	85	57	63	69	78	86
DHA, % total fat	0.32	0.32	0.32	0.32	0.32	0.32
ARA, % total fat	0.32	0.64	0.64	0.64	0.64	0.64
Carbohydrate, g	11.6	7.8	8.6	9.4	10.6	11.8
Prebiotic, g/L	4 grams per liter, GOS <sup>†</sup>					
<b>Vitamins</b>						
Vitamin A, IU	300	203	223	243	274	304
Vitamin D, IU	60	41	45	49	55	61
Vitamin E, IU	2	1.4	1.5	1.6	1.8	2.0
Vitamin K, mcg	8	5.4	6.0	6.5	7.3	8.1
Thiamin (Vitamin B <sub>1</sub> ), mcg	100	68	74	81	91	101
Riboflavin (Vitamin B <sub>2</sub> ), mcg	140	95	104	114	128	142
Vitamin B <sub>6</sub> , mcg	75	51	56	61	68	76
Vitamin B <sub>12</sub> , mcg	0.33	0.22	0.25	0.27	0.3	0.33
Niacin, mcg	1050	710	781	852	959	1065
Folic Acid, mcg	15	10	11	12	14	15
Pantothenic Acid, mcg	450	304	335	365	411	457
Biotin, mcg	4.4	3.0	3.3	3.6	4.0	4.5
Vitamin C, mg	10	6.8	7.4	8.1	9.1	10.1
Choline, mg	24	16	18	19	22	24
Inositol, mg	6	4.1	4.5	4.9	5.5	6.1
<b>Minerals</b>						
Calcium, mg	67	45	50	54	61	68
Phosphorus, mg	38	26	28	31	35	39
Magnesium, mg	7	4.7	5.2	5.7	6.4	7.1
Iron, mg	1.5	1.0	1.1	1.2	1.4	1.5
Zinc, mg	0.8	0.54	0.60	0.65	0.73	0.81
Manganese, mcg	15	10	11	12	14	15
Copper, mcg	80	54	60	65	73	81
Iodine, mcg	12	8.1	8.9	9.7	11.0	12.2
Selenium, mcg	3	2.0	2.2	2.4	2.7	3.0
Sodium, mg	27	18	20	22	25	27
Potassium, mg	108	73	80	88	99	110
Chloride, mg	65	44	48	53	59	66
<b>Other</b>						
Added Nucleotides, mg	4.6	3.1	3.4	3.7	4.2	4.7
PRSL*, mOsm per 100 kcal	19.6					
PRSL*, mOsm per 100 mL		13.3	14.6	15.9	17.9	19.9
Approximate osmolality, mOsm/kg water	250	250	275	300	338	375

¶ Galacto-oligosaccharides (GOS) contribute approximately 1.5 kcal/gram

\*Potential Renal Solute Load

**Nutrients per 100 mL are based on calculated results  
- For Medical Professional Use Only -**

7/2019

**Gerber® Good Start® Stage 1 Soy Infant Formula Concentrate**

Nutrients	Per 100 kcal	Per 100 mL				
		20kcal/fl oz	22kcal/fl oz	24kcal/fl oz	27kcal/fl oz	30kcal/fl oz
Energy, kcal	100	68	74	81	91	101
Volume, mL	148	100	100	100	100	100
Protein, g	2.5	1.7	1.9	2.0	2.3	2.5
Fat, g	5.1	3.4	3.8	4.1	4.7	5.2
Linoleic Acid, mg	920	622	684	747	840	933
Linolenic Acid, mg	85	57	63	69	78	86
DHA, % total fat	0.32	0.32	0.32	0.32	0.32	0.32
ARA, % total fat	0.32	0.64	0.64	0.64	0.64	0.64
Carbohydrate, g	11.1	7.5	8.3	9.0	10.1	11.3
<b>Vitamins</b>						
Vitamin A, IU	300	203	223	243	274	304
Vitamin D, IU	60	41	45	49	55	61
Vitamin E, IU	3	2.0	2.2	2.4	2.7	3.0
Vitamin K, mcg	9	6.1	6.7	7.3	8.2	9.1
Thiamin (Vitamin B1), mcg	60	41	45	49	55	61
Riboflavin (Vitamin B2), mcg	94	64	70	76	86	95
Vitamin B6, mcg	60	41	45	49	55	61
Vitamin B12, mcg	0.33	0.22	0.25	0.27	0.30	0.33
Niacin, mcg	1050	710	781	852	959	1065
Folic Acid, mcg	16	11	12	13	15	16
Pantothenic Acid, mcg	500	338	372	406	457	507
Biotin, mcg	5	3.4	3.7	4.1	4.6	5.1
Vitamin C, mg	12	8.1	8.9	9.7	11.0	12.2
Choline, mg	24	16	18	19	22	24
Inositol, mg	6	4.1	4.5	4.9	5.5	6.1
<b>Minerals</b>						
Calcium, mg	105	71	78	85	96	107
Phosphorus, mg	63	43	47	51	58	64
Magnesium, mg	11	7.4	8.2	8.9	10.0	11.2
Iron, mg	1.8	1.2	1.3	1.5	1.6	1.8
Zinc, mg	0.9	0.61	0.67	0.73	0.82	0.91
Manganese, mcg	25	17	19	20	23	25
Copper, mcg	80	54	60	65	73	81
Iodine, mcg	15	10	11	12	14	15
Selenium, mcg	3	2.0	2.2	2.4	2.7	3.0
Sodium, mg	40	27	30	32	37	41
Potassium, mg	116	78	86	94	106	118
Chloride, mg	71	48	53	58	65	72
<b>Other</b>						
PRSL,* mOsm per 100 kcal	23.1	-	-	-	-	
PRSL,* mOsm per 100 mL		15.6	17.2	18.7	21.1	23.4
Approximate osmolality, mOsm/kg water	180	180	198	216	243	270

\*Potential Renal Solute Load

**Nutrients per 100 mL are based on calculated results  
- For Medical Professional Use Only-**

07/2019